

Access to Production Information among Citrus Farmers in Atiabo Local Governmen Area of Oyo Stats

Eniola, P. O. and Fawole, O. P.2

Department of Agricultural Technology

The Polytechnic Iba'dan, Saki Campus

²Department of Agricultural Extension and Rural Development, University Of Ibadan

ABSTRACT

This study was conducted to determine the level of awareness, access and utilization to sixteen, citrus production information by citrus farmers in ATISIO. Local Government Area of Oyo State. Structured interview scheduled were administered on sixty citrus farmers who were purposively selected from six communities. Descriptive statistics such as frequency distribution, percentages and reting were used to analyse the data. Ninety-eight point three percent (98.3%) of the respondents were male and 85 percent were married. The main source of information were village extension actions and contact farmers as indicated by 46.7 percent and 41.6 percent of response in awareness, access and utilization on citrus farm practices was low. That is 63.3, 56.65 and 50 percent of the respondents had low scores respectively. The extension agents have been encouraged to release to farmers necessary information that could lead to high citrus production in the area.

Keywords Information awareness, access, utilization, citrus production practices and management.

INTRODUCTION

Food security has been defined as a situation in which all households have both physical and economic access to adequate food for all members and where households are not at risk of losing such access (FAO, 1996). The word food referred to above, embraces the following classes: Carbohydrate, Protein, Vitamins, Minerals, Fat and Oil and Water. It has been concluded that the one that gains prominence in consumption in Africa is the carbohydrate aspect of the food (FAO, 1996). Various nutritional deficiencies leading to high mortality rate have resulted from very low intake or lack of other classes of food in our diets.

About 42 percent by weight of the food taken in the tropic each year is of animal origin, including red meat, poultry, fish, egg and dairy products. Fifty eight percent consist of plant products such as vegetable, fruits and melon, flour and careal products, sugar, sweeteners, potatoes in various forms and other products including beverages. The foods of animal origin contribute about 36 percent of our energy supply, the foods of plant origin gives the remaining 64 percent (Briah, 1991).

Citrus has been noted as one of the world's third finest fruits grown commercially in countries throughout the tropic and subtropics around the globe (Williams and James, 1975). Citrus fruits are produced in many parts of West Africa, but production is mainly for home consumption, since the limited quantity of truits produced is insufficient to supply an export market. Citrus production in Nigeria less not reached a stage of exports (USDA, 1990).

Journal of Agricultural Extension Vol. 10, 2007

Problems encountered by citrus farmers in Africa ranges from the choice of good varieties and its availability, agronomic practices to storage, processing and marketing. Specifically, it is observed that citrus farmers particularly in the study area are unaware of management practices of citrus seedlings. As such, the growth of the scion is suppressed or terminated.

Thus, information has been identified as one of the resources required for improvement in citrus production. It is defined as the data for decision making. It is said to be a resource or input that must be acquired and used judiciously in order to make an informed decision. Those who possess appropriate and timely information will make a more rational decision than those without appropriate and timely information (Aina, 1988).

Every individual, whether literate or non-literate, needs information in order to take decisions. Thus, every sector of the population engaged in agriculture need access to information and its utilization in a way that will increase productivity. The act of taking the information to the grass root via radio, television, print media and internet has been referred to as way of clipping off the long standing rural poverty and transformation into another class or status (Bessie, 2004). The latter also emphasizes that there must be adequate manpower to provide supportive services for rural farmers in order to facilitate its easy utilization. That most of the time information technologies are taken to rural settings without adequate provision of experts to teach the farmers who are purely illiterate and are not ready for a change. Improve access to global information networks and adequate capacity building are essential for Africa agricultural producers (Willy currie, 2005).

Objectives of the study

The research examined the level of information awareness, access and utilization among citrus farmers in ATISBO Local Government Area of Oyo State. The specific objectives are to:

- identify the socioeconomic characteristic of citrus farmers in the area of study;
- identify the major sources of information available to and utilized by the citrus farmers and
- determine effect of the information received on citrus productivity.

Materials and Method

The study area is ATISBO Local Government Area of Oyo State. It consist of the following towns and villages: Ago-Are, Irawo, Ofiki, Sabe, Baasi, Owo and Agunrege, Alakuko, Ore, Ojeyinka, Adeoye, Tede as the headquarter and other hamlets. The average annual rainfall is 1200mm. It lies within latitude 08.41°N and longitude 03.23°E. (OYSADEP 1987). The population of the study consist of other farmers. In selecting the sample size, six communities were randomly selected from 24 communities that made up the Local Government. Sixty citrus farmers were purposively selected from the six (6) communities with the assistance from the extension agent. Ten (10) respondents from each community, thus making sample size sixty (60) respondents.

Results and Discussion

Table 1 reveals that 98.3 percent of the respondents were male. This implies that, that women do not or prevented from growing tree crops as a result of land right attached to Yoruba culture. About 40 percent falls between ages of 50 – 59 years with 1- 6 year of formal schooling. Also 85 percent of the respondents were married.

TABLE 1: The Distribution of the Respondents According to Socio-Economic Information

Variable	Frequency	Percentage
	* * * * * * * * * * * * * * * * * * * *	
SEX '	1 No. 1	
Female ·	1	1.7
Male	59	98.3
AGE .	2	w to
20 – 29 years	1 2 and .	1.7
30 - 39 years	10	16.7
40 - 49 years	16	26.7
50 - 59 years	24	40
60 years and above	9	15
NUMBER OF YEARS C		
SCHOOLING		3 to 10 to 1
Nil	. 16	26.3
1-6	24	40.0
7 – 12	20	33.7
MARITAL STATUS		
Single	7	5
Married	51	85
Divorced	1	1.7
Widowed		6.6
Widowed/Divorced	1	1.7
RELIGION		1.7
Christianity	43	71.3
Islam	16	26.7
Others	10	1.7
Total	60	
Total	OU // CO	100

Source. Field Survey, 2000

Table 2 indicates that 28 (46.7%) of the respondents in receive information on citrus from village extension workers. These results corroborate that of (Alao, 1980) which came up with the finding that extension agents in Nigeria are the most important sources of information to the farmer on agricultural innovations.

TABLE 2: Frequency Distribution Showing Sources of Information on Citrus Production

Variable	Frequency		Percentage	
Village Extension Workers	28.0		46.7	
Contact Farmers	25.	100	41.6	
Friends and Neighbours	• 5.0		8.3	
Radio	1.0		1.7	
Television	<u> </u>		0.0	
Newspaper		100	0.0	
Poster Pamphlet	1 377884		0.0	8 .
Others			0.0	
No Response	1.0		1.7	
Total	. 60	9 E 2	100	× *

Source: Field Survey, 2000

The above source with contact farmers and Radio were also those emphasized by (Olowu and Igodan, 1989) in a study carried out in Kwara State. The agricultural practices they considered are part of this study.

Information Awareness on Farm Practices

TABLE 3: Frequency Distribution Showing the type of Agricultural Information
Needed by Citrus Farmer in Atisbo Local Government Area of Oyo State

Farm practices	Frequency	Percent
Recommended Spacing	29	. 48.3
Improved Varieties	12	20
Information on Planting Procedures	** ***	
(right depth destroy the polythene bag)	29	43.3
Information on Pruning Method	31	51.0
Information on Irrigation	23	38.3
Recommended Fertilizer Application	19	31.7
Method of Mulching	42	70
Information on Pest and Diseases	24	40
Information on Harvesting Period	35	58.3
Establishment of a Ground Cover of Legumes	26	43.3
Information on Weed Control	35	58.3
Method of Storing	19	31.7
Information on Recommended Cropping Patte	ern 28	46.7
Market Outlet		
Juice Extraction	12	20.0
Land Preparation Method	31	51.7

Sources: Field Survey, 2000

TABLE 5:

From Table 3, one can deduce that less than 50 percent of the respondents an aware of information on citrus farm practices. For instance, 31(52.7%) and 48(80%) of the respondents are not aware of information on recommended spacing and improved varietie respectively. These may eventually led to their low yield or production.

Citrus practices

TABLE 4: Information Access on Farm Practices

N = 60

Spacing Improved Varieties

Citrus	No Access	Difficult	Easy	Very Easy	No Planting
Practices	(0)	Access (1)	Access (2)	Access (3)	Response Procedure (4) Pruning Me
Spacing	20(33.3)	2(3.3)	28(46.7)	4(6.7)	6(10.0rrigation M
, Improved	20(33.3)	2(3.3)	20(40.7)	4(07)	Fertilizer
Varieties Planting	22(36.7)	6(10.0)	24(40.0)	1(i,7)	7(11.74pplication Mulching M
Procedure	15(25.0)	5(8.3)	31(51.7)	1(1.7)	8(13.3 ests and
Pruning Method	12(20.0)	8(13.3)	30 (50.0)	5(8.3)	5(8.3) diseases
Irrigation Method Fertilizer ,	18(30.0)	13(21.7)	20(33.3)	3(5.0)	6(10.0Harvesting Ground Co
Application	17(28.3)	'5(8.3)	26(43.3)	9(15.0)	3(5.0)of legumes
Mulching Method Pests and	14(23.3)	9(15.0)	23(38.3)	6(10.0)	4(6.7)Storing Met Cropping page
diseases	14(23.3)	4(6.7)	32(53.3)	6(10.0)	4(6.7)Juice extra
Harvesting Period Ground Covers	17(28.3)	2(3.3)	30(50.0)	7(11.7)	4(6.7)Need contr Varket out
of legumes	18(30.0)	11(18.3)	20(33.3)	5(8.3)	6(10.0
Storing Method	17(28.3)	13(21.7)	19(31.7)	6(10.0)	5(8.3)_
Cropping pattern	20(33.3)	6(10.0)	24(40.0)	2(3.3)	-igures in p
8(13.3)	24/25 0	2/2 2)	27/45	2/2 21	Sources: Fi
Juice extraction	21(35.0)	2(3.3)	27(45.0)	2(3.3)	8(13.3
Weed control Market outlet	18(30.0)	6(10.0)	26(43.0)	5(8.3)	5(8.5) 6(10.0 Tab
ivial Net Outlet	24(40.0)	3(5.0)	24(40.0)	3(5.0)	6(10.0 Tab nformation

Figures in parenthesis are percentages

Sources: Field Survey, 2000

and market to the citrus

Table 4: Above indicates that 33.3%, 36.7%, 35%, 30% and 40% of the respondent did not have access to the right information on spacing, cropping pattern, improved varieties, juice extraction, irrigation method, weed control and market outlet respectively.

TABLE 5: Citrus Farmers Information Utilization on Sixteen Farm Practices in Atisbo Local Government Area of Oyo State
%) of the

varieties	ELCONO.	Never used (0)	Used before (1)	Still using (2)	No response
	Spacing	20(33.3)	2(3.3)	28(46.7)	4(6.7)
	Improved Varieties	22(36.7)	6(10.0)	24(40.0)	1(1.7)
No	Planting				
sponses	Procedure	15(25.0)	5(8.3)	31(51.7)	1(1.7)
(4)	Pruning Method	12(20.0)	8(13.3)	30(50.0)	5(8.3)
6(10.0)	Irrigation Method	18(30.0)	13(21.7)	20(33.3)	3(5.0)
15 10	Fertilizer			4	
7(11.7)	Application	17(28.3)	5(8.3)	' 26(43.3)	9(15.0)
	Mulching Method	14(23.3)	9(15.0)	23(38.3)	6(10.0)
	Pests and				
5(8.3)	diseases	14(23.3)	4(6.7)	32(53.3)	6(10.0)
6(10.0)	Harvesting Period Ground Covers	17(28.3)	2(3.3)	30(50.0)	7(11.7)
3(5.0)	of legumes	18(30.0)	11(18.3)	20(33.3)	5(8.3)
4(6.7)	Storing Method	17(28.3)	13(21.7)	19(31.7)	6(10.0)
	Cropping pattern	20(33.3)	6(10.0)	24(40.0)	2(3.3)
4(6.7)	Juice extraction	21(35.0)	2(3.3)	27(45.0)	2(3.3)
	Weed control	18(30.0)	6(10.0)	26(43.0)	5(8.3)
	Market outlet	24(40.0)	3(5.0)	24(40.0)	3(5.0)
6(10.0) 5(8.3)		' '			

Figures in parenthesis are percentages

Sources: Field Survey, 2000 8(13.3)

Table 5: Infers that 33.3%, 36.7% 35% 40% of the respondents have never used any information on the required spacing, cropping, pattern, improved varieties, juice extraction and market outlet respectively. The above suggest the realiability of the information available to the citrus farmers.

pondents mproved tively.

5(8.5)

TABLE 6: Level of Information Awareness, Access and Utilization on Seventeen Citrus Farm Practices

Level of Information Awareness	Frequency	Percentage		
Low (0 - 17)	38		63.3	
High (18 - 36)	22		36.7	
Level of Information Access				
Low (0 -17),	. 34	1 5	56.66	
High (18 - 36)	26		43.34	
Level of Information Utilization	•			
Low (0 -16)	30	- de 1	50.0	
Medium (17 - 34)	08		13,33	
High (35 - 51)	22	116	36.67	
Total	60		100.00	

Sources: Field Survey, 2000

From Table 6, one could deduce that 63.3%, 56.66% and 50% of the citrus farmers in Atisbo Local Government Area have low awareness, access and utilization to citrus information since the Village Extension Agents and contact farmers are the major sources of their information. These extension agents only have mandate of disseminating information on cereals, legumes, root and tube:s. Thus, only few experts among them assist farmers in other areas of agriculture.

Also, low utilization has been experienced as a result of the above reason too.

TABLE 7: Effect of Information Received on Citrus Productivity

	Frequency	Percentage	
Brings very high yield	1.0	1.7	
Brings high yield	16.0	26.7	
Low yield	41.0	63.3	¥
No response	2.0	3.3	
Total	60	100	

Sources: Field Survey, 2000

CONCLUSION

The stuct and utilization a concluded that percent that have and contact far further conclude low level of aw eventually led to

RECOMMEND.

Extension ager required inform Extension Demonstration

REFERENCES

Aina, L. O. (198 Imo Sta 137 -13

Alao, J. A. (1 Experie

Briah, H. (199 Reinha

Bessie N, (200-Issue 2

Charles Mahor Issue 1

Don Richardso update

Food and Agi Organi

Olowu T. A. an State, I

OYSADEP (19

Owen-Ibie No Nation

Depart

United State D Willy Currie (2)

bulletir

CONCLUSION

The study was undertaken to determine the level of information awareness, access and utilization among citrus farmers in Atisbo Local Government Area of Oyo State. It was concluded that 98.3 percent of the respondents were male, 85 percent married with 26.3 percent that have never attended any formal education. Village extension workers (VEW) and contact farmers were the major sources of information to the citrus farmers. It was further concluded that the VEW did not convey the right information to the citrus farmers, low level of awareness access and utilization of citrus information were recorded that eventually led to low yield of citrus.

RECOMMENDATION

Extension agents should come alive with their work by communicating to farmers all the required information that could boost citrus production.

Extension agents should be more resources oriented.

Demonstration methods, pictures and other modern communication devices should be employed to teach farmers.

REFERENCES

rs in trus

ting

ssist

- Aina, L. O. (1986): An Empirical Analysis of the Information Needs in Nigeria. The case of Imo State Public Libraries. Nigeria Library and Information Science Review. 10(3); 137 -138.
- Alao, J. A. (1980): Understanding Small Farmers Adoption Behaviour. The Nigeria Experience Management Lecturer Series 44, University of Ife Press, Ile-Ife.
- Briah, H. (1991): Marketing Fresh Fruits and Vegetables. Published by Van Nostrand Reinhard, New York P. 10.
- Bessie N, (2004): Farmer wise ICT update a current awareness bulletin for ACP agriculture Issue 21 October, 2004 p. 3.
- Charles Mahoney (2003): Fintrac's mobile office Offering Agriculture support ICT update. Issue 14 November, 2003.
- Don Richardson, (2003): Why extension needs to rise to the telecom policy challenge. ICT update a current awareness bulletin for ACP Agriculture Issue 14 November, 2003.
- Food and Agricultural Organisation (FAO) (1996): Manual of Food and Agriculture Organisation
- Olowu T. A. and C. O. Igodan (1989): Farmers Media Use Pattern in Six Village in Kwara State, Nigeria. Rural Development in Nigeria Vol. 3, No 2, Pp. 78 102.
- OYSADEP (1987): Oyo State Agricultural Development Programme, Annual Report
- Owen-Ibie Noma, (1991): Mass and alternate media role in the implementation of the National Health Management Information System (NHMIS) Unpublished Paper. Department of Psychology, University of Ibadan.
- United State Department of Agriculture (USDA) (1990): "World Citrus Situation p. 8.
- Willy Currie (2005): Improved access to global information ICT update a current awareness bulletin for ACP Agriculture. Issue 23, 2005 p.4.