ISSN 2051-848X (Print) ISSN 2051-8498 (Online)

International Journal of Business and Economic Development





Volume - 4 Number - 1 March - 2016

International Journal of Business & Economic Development is

March 2016

International Journal of Business & Economic Development (IJBED) Volume 4 Number 1 March 2016 www.ijbed.org

Editorial	
Articles	Page no.
The impact of globalization on economic conditions: empirical evidence from the Mena region Marwa A. Elsherif	1
The new requirements relating to going concern evaluation and disclosure provide a critical improvement to the financial statements taken as a whole Achraf A. Seyam and Sharon Brickman	15
A sluggish U.S. economy is no surprise: Declining the rate of growth of profits and other indicators in the last three quarters of 2015 predicted a slowdown in the US economy in the coming months Bob Namvar	21
Work-family balance dilemma among employed parents (An empirical study) Sally Kamel Ali Omran	31
The role of entrepreneurship in economic development in Saudi Arabia Nadia Yusuf; Nisreen Ismail Albanawi	47
The role of female entrepreneurial networks and small business development: a pilot study based on Sri Lankan migrant entrepreneurs of tourism industry in London H.A.K.N.S.Surangi	56
A historical analysis of the theories of money Farah Durani; Ishtiaq Qureshi	71
A study on impact of Job role stressors on Frontline employee role performance towards the customers Kasturi Naik; Srini R. Srinivasan	85
Assessment of knowledge and awareness of global warming among inhabitants of industrial areas of an urban community in Nigeria Ruth Ochanya Adio-Moses; Aladejana J. A.	99
The effects of audit value added on audit survival: Evidence from CPAs of Thailand Seerungrat Sudsomboon: Phaitoon Intakun	107

Contents

Assessment of knowledge and awareness of global warming among inhabitants of industrial areas of an urban community in Nigeria

Ruth Ochanya Adio-Moses Department of Human Kinetics and Health Education University of Ibadan, Nigeria

> Aladejana J. A. Department of Geology University of Ibadan, Nigeria

Key words

Knowledge, global warming, environment, greenhouse effect, atmosphere,

Abstract

Global warming with its attendant consequences such as extreme heat, natural disasters, poor air quality and allergens has increased health problems. The risk of injury, illness and resulting death among inhabitants are expected to be frequent and intense especially in areas with heavy industrial presence. The current low level of literacy and the socio-economic situation of Nigerians could be responsible for their low consciousness of this unpreventable changes in our climate in one hand and lack of willingness on the part of people to seek environmental health and safety information on the causes, effect and how to mitigate global warming on the other hand. This study focuses on assessment of knowledge and awareness of causes, effects and mitigating measures of global warming among inhabitants of industrial areas of Ibadan southwestern Nigeria. In this descriptive survey, purposive sampling technique was used to select 200 respondents from among the inhabitants of this area. A questionnaire with reliability co-efficient (r) of 0.78 was used for data collection. Two research questions were answered and three hypotheses tested at 0.05 level of significance. Statistical methods such as Chi-square, frequency count, simple percentage and pie chart were used for data analysis. Results showed that only 20% had 34.0% had negative attitude while 81 (40.5%) were indifferent, all the three hypotheses were rejected. Consequently, it was deduced that respondents have significant knowledge of global warming. In recommendation, people's environmental health seeking behaviour should be promoted through multidisciplinary and interdisciplinary research and the development of inclusive environmental health and safety intervention strategies.

Introduction

Global Warming is the increase in the average temperature of the Earth's surface, air and oceans. It is a global phenomenon that has the potential to adversely affect human lives if corrective measures are not taken. Global Warming occurs when Green House Gases in the atmosphere like, carbon dioxide, methane, and nitrogen oxide are increased. Human activities such as exhaust from automobile and industrial combustion engine, gas flaring during hydrocarbon refinery and deforestation and overgrazing with resulting desertification are some of the main causes for increases in greenhouse gases (Oshuntokun, 2003).

When any of these happen it releases carbon dioxide into the atmosphere (Titus, 2000). In global warming, the increase in average temperature of the earth's atmosphere is -especially sustained and great enough to cause changes in the global climate' (Peterson and Vose, 2007). The term global warming is also synonymous with enhanced greenhouse effect, leading to entrapment of more and more solar radiations, and thus increasing the overall temperature of the earth (Still, Foster & Schneider, 2009).

It is undisputed that the average temperature at the surface of the earth has increased over the past century by about 1°F (0.6°C), with both the air and the oceans warming up (National Climatic Data Center (NCDC), 2004). Since 1880, when people in many locations first began to keep temperature records, the 25 warmest years have all occurred within the last 28 years (Karl, 2008). While it has not yet been precisely determined how much of the recent warming was caused by human activities, the consensus among climate scientists is that most of the warming over the past 50 years was probably caused by human-produced greenhouse gases (International Panel on Climate Change. 2001). Indeed as the global temperature becomes hotter, heat waves will become regular, more severe, and persistent.

The Physicians for Social Responsibility (2015) warned that unless greenhouse gas emissions are reduced, temperatures are projected to increase by an additional 2 to 11.5 degrees Fahrenheit by 2100. They further explained that already, rising temperatures have disrupted climate patterns around the world, resulting in more frequent intense storms and more intense heat waves. They also asserted that though heat waves normally affect broad geographic regions and resident populations, certain groups are particularly vulnerable. The very old and the very young tend to have reduced heat-regulating mechanisms and are at increased risk. The poor, the socially isolated, and those already suffering from chronic illness also are likely to be disproportionately affected by an increase in heat wave frequency and severity." heat cramps, heat syncope (fainting), heat exhaustion heatstroke

In addition they also stressed that air pollution-related health impacts exacerbated by global warming are airborne allergens like pollen, higher occurrence and severity of asthma, aggravated chronic respiratory and cardiovascular disease, damaged lung tissue and premature death. Emergence of new diseases (30 previously unknown diseases since 1976), resurgence and/or redistribution of older diseases such as malaria, cholera, vectors and the disease-causing pathogens they transmit are impacted by higher temperatures.

The fact is, many widely accepted, peer-reviewed scientific studies have also found evidence that global warming has already had major impacts on the ecosystems and societies across the world (union of concerned scientist, 2011; Odjugo, 2010; Folorunsho and Awosika, 2001). Likewise, a report by Onibukun (2015) shows that Nigerians are beginning to feel the realities caused by global warming while Lagos state has seen greater rainfall and experienced very heavy wind which caused lots of damage to public and private property. Severe drought is being felt in Kaduna state and other parts of Nigeria. Massive and destructive floods have also been reported in almost all parts of Nigeria (Okereke, 2011). Indeed during the 21st century, climatic disasters occurred five times as frequently and killed or affected seventy times as many people. The immense geological changes will continue their destruction unabated if steps to educate people on ways to mitigate global warming are not taken (Naurzbaev and Vaganov 2000).

Hastenrath, (2001) concluded that It may be too late to stop global warming altogether, but its effect can be controlled. There is a time lag between the addition of greenhouse gases and their effects. Also once these gasses have been added to the atmosphere it is not possible to easily remove them. In fact because the world's economy is built around the use of fossil fuels for energy, we cannot stop adding more carbon dioxide to the atmosphere (It will take a lot of efforts by every nation and many years to reduce the amount of extra carbon that is added into the atmosphere). Barnett, (2005) opined that humanity may have only a narrow window of time left, perhaps a decade or so, to begin the long process of stabilizing greenhouse gas concentrations at a level that can avert devastating and irreversible impacts from climate change.

In a developing country like Nigeria, the highest per capita greenhouse gas producers are seen in gas flaring in the oil producing states, fumes from power generating plants, automobiles and agricultural practices. Tunde, Adeleke and_Adeniyi,(2012) explained that activities like urbanization, population explosion, deforestation and industrialization aid the release of greenhouse gases which contribute highly to the depletion of the ozone layer and its associated global warming. Chukwu and Asiegbu (2011) stated that bush-burning and hunting, dumping of toxic materials and man's insatiable desires also aids global warming.

The adverse outcome of global warming has increase environmental health problems and its attendant consequences. Disasters, violence and disease are expected to be more frequent and intense especially in areas with heavy industrial presence in Nigeria. Most environmental health education programmes targeted at people yield little or no result. The current low level of literacy and the socio-economic situation of Nigerians could be linked high level of poverty and lack of willingness on the part of people to seek environmental health and safety information on the causes and effect of global warming.

The study area, Ibadan known as one of the largest and fast growing cities in Sub-Sahara Africa houses a large number of industries and some of the industrial areas also houses residential estates. The inhabitants of these industrial areas are not only exposed to pollutions from the industries but may likely feel the effect of extreme heat. The governments of Oyo state in collaboration with the Federal government have begun taking steps to mitigate the effects of global warming in Oyo state, however members of the public need to be more aware of this problem and start finding mitigating strategy to combat this unstoppable changes. All effort towards reducing the effect of global warming has been towards mitigation and adaptation as a result, neglecting what might be the most effective strategy for reducing global warming in our lifetimes which is educating people about causes, effect and possible solution. It is therefore important to assess the level of knowledge and awareness of the causes, effect and attitude of inhabitant of industrial areas in Ibadan Southwest towards global warming.

In order to achieve this, answers was sought for the following research questions;

- 1. What is the level of awareness of global warming among inhabitants of industrial area in Ibadan South-West Local Government Area of Oyo State?
- 2. What is the attitude of inhabitants of industrial area in Ibadan South-West Local Government Area of Oyo State towards global warming?

Also, the following hypotheses was tested among the inhabitants of the study area.

- 1. Inhabitants of industrial areas in Ibadan South-West Local Government Area of Oyo State do not have significant knowledge of the causes of global warming
- 2. Inhabitants of industrial areas in Ibadan South-West Local Government Area of Oyo State do not have significant knowledge of the effects of global warming
- 3. Inhabitants of industrial areas in Ibadan South-West Local Government Area of Oyo State do not have significant knowledge of the mitigating strategy against the effect of global warming

Study Approach

The study employed the use of descriptive survey design. Two hundred (200) inhabitants of industrial areas within Ibadan South-West Local Government Area of Oyo State were purposively selected. Two self-developed instrument were used for data collection. The first is the global warming awareness and attitude questionnaire, while the second is the knowledge of causes, effects and mitigating strategy of global warming questionnaire. Copies of the instrument were sent to experts in the field and their contributions were integrated into the final

copy to guarantee face and content validity. The instrument was also subjected to a test-retest method which yielded a reliability coefficient (r) of 0.71 and 0.78 respectively. The descriptive statistics of frequency count, percentage and pie-chart were used in analysing the research questions, while inferential statistics of Chi-square was used in testing all the hypotheses at 0.05 level of significance.

Results and Discussions

Demographic Variables	Frequency	Percentage
Age		
21-30	14	7
31-40	100	50
41-50	36	18
51-60	50	25
Marital Status	a second and a second as a	
Married	160	80
Not married	24	12
Widowed	16	8
Total	200	100

Table 1: demographic information of respondents The table above showed the demographic information of the respondents of our study.



Figure 1. Level of Awareness of global warming

The respondents within the age bracket of 31- 40 (50%) were more in this research. Married respondents were 160 representing 80% of the sample.

Result of the research question 2 under three point scale (i.e, Positive, Negative and Indifferent) on assessment of the respondents attitude towards global warming is also presented in form of pie chart as shown in figure 2. It also revealed that the attitude of inhabitant of industrial areas in Ibadan Southwest towards global warming shows that 51 (25.5%) had positive attitude, 68 (34.0%) had negative attitude while 81 (40.5%) were indifferent, see figure 2. This shows that majority of inhabitant of industrial areas in Ibadan Southwest are indifferent towards global warming.



Figure 2. Attitude towards global warming

Results of the three hypotheses testing 1 -3 are presented in table 2-4 respectively below

	SA	A	D	SD	X ² cal	X ² crit	df	P
Too much of smoke from	61	119	20	-				
exhaust pipe of industrial	30.5	59.5	10.0					
machines can lead to global warming	2				270	-	12	.000
Too much smoke from exhaust	70	120	10	-				
pipe of cars can lead to global warming	35.5	60.0	5.0					
Burning of industrial waste	51	119	29	1	1			
can lead to global warming	25.5	59.5	14.5	0.5				
Global warming is caused by	21	129	49	1	1			
the presence of too much carbon in the atmosphere	10.5	64.5	24.5	0.5				
Constant Burning of bush can	67	128	2	3	1			
lead to global warming	33.5	64.0	1.0	1.5				
When fossil fuels are burnt, it	59	139	1	1	1			
could lead to global warming	29.5	69.5	0.5	0.5				
One of the effects of too much	39	147	13	1				
industrial gases in the	19.5	73.5	6.5	0.5				
atmosphere is global warming								
Falling of trees without	20	101	78	1				
replanting can lead to global warming	10.0	50.5	39.0	0.5				

Table 2: knowledge of the causes of global warming

The result of hypothesis 1 revealed that inhabitants of industrial areas in Ibadan Southwest Local Government Area of Oyo State have significant knowledge of the causes of global warming (X^2 Cal = 270.0, X^2 critical = 31.64, df = 12, P = .000). This showed that X^2 calculated is greater than X^2 critical, therefore we reject the null hypothesis and consequently conclude that the respondents have significant of what causes global warming.

and the second second second second second	SA	A	D	SD	X ² cal	X ² crit	Df	P
Global warming can lead to	49	79	71	1				
extinction of some species of	24.5	39.5	35.5	0.5				
animals	1.011			-	59.84	1	13	.000
Global warming cause extreme	48	90	60	2	1			
heat	24.0	45.0	30.0	1.0				
Global warming is capable of	78	88	32	1	1	1	7.96	0.00
causing genetic mutation in	39.0	44.0	16.0	1.0				-
human being	22016 Y							
Global warming can also lead	40	97	60	3	1		1.2	1.1
to prolonged droughts	20.0	48.5	30.0	1.5				
Global warming has resulted	83	87	30	-	1			
in the increase in rain fail in	41.5	43.5	15.0		1		1.1.1	
Nigeria and other parts of the	1.1.1.1.1.1.1						1.1.1.1.1	100
world								
Global warming can lead to	39	31	117	13		1.1.1		
poor air quality	19.5	15.5	58.5	6.5			1.1	1000
Heavy floods is also one of the	29	71	87	13				
effect of global warming -	14.5	35.5	43.5	6.5			1000	10.00
Global warming can lead to	51	39	97	13	1	1.5.3.2.2	1.0.0.2	10000
allergies	25.5	19.5	48.5	6.5				
Global warming can lead to	52	88	57	3		1000	1.00	
extinction of some species of	26.0	44.0	28.5	1.5		- Carlos	to all	
plants								
Global warming can lead to	39	99	61	1	1		1	-
easy spread of disease	19.5	49.5	30.5	0.5	1.000	1.	1	

Table 3: knowledge of the effect of global warming

The result of hypothesis 2 showed that X^2 cal = 59.84, X^2 crit = 31.64, df = 13, P = .000). This showed that X^2 calculated is greater than X^2 critical, therefore the null hypothesis was rejected. The result revealed that knowledge of the effects of global warming is significant among inhabitants of industrial areas in Ibadan Southwest Local Government Area of Oyo State

- AND FL MARK STRAFT STAT	SA	A	D	SD	X ² cal	X ² crit	Df	P								
Global warming can be controlled through planting of trees	69 34.5	91 45.5	40 20.0	-								-				
Human being must reduce the use of fossil fuels	31 15.5	149 74.5	20 10.0	-	173.49		12	.000								
Indiscriminate burning of bush must stop	43 21.5	127 63.5	29 14.5	1 0.5												
Burning of industrial waste and industrial emission must be minimized	92 46.0	88 44.0	19 9.5	1 0.5												
Cars that are not fit for road should be removed	79 39.5	99 49.5	22 11.0	-				A								
Illegal falling of tress should be eradicated	49 24.5	131 65.5	19 9.5	1 0.5			0									
Helping to switch of lights when not in use will go a long way in reducing global warming	107 53.5	93 46.5	-	-		0										
Educating people on the causes	94 47.0	106 53.0	-	-		b										

Table 4: knowledge on the methods to control global warming

The result of hypothesis 2 revealed that X^2 cal = 173.49, X^2 critical = 31.64, df = 12, P = .000). This showed that X^2 calculated is greater than X^2 critical, therefore the null hypothesis was rejected. The result revealed that knowledge of the methods to control global warming is significant among inhabitants of industrial areas in Ibadan Southwest Local Government Area of Oyo State

Discussion

The first hypothesis was rejected, showing that people have significant knowledge of what causes global warming. The findings of this study is in-line with the findings and views of NCDC (2004) which reported that people who live in industrial countries are aware of the causes of global warming in their everyday lives but often put on a negative attitude towards controlling it. People knew what global warming is, but they are not taking action to address the issue. Indeed people are not taking action because they either do not wish to, or are not sure of what action they should take. While it is essential to raise awareness, other feasible solutions should also be considered.

The fact that the second hypothesis was rejected shows that people have significant knowledge of the effects of global warming. This suggested that people who live in industrial communities are aware of the effect of global warming on their everyday lives but often put on a negative attitude towards mitigating it. IPCC, (1999) was of the view that if a general attitude is maintained and more data is dutifully gathered and awareness is raised, good practices will be exhibited and this may help to reduce or solve the challenge of climate change. Parker, (2011) also stated that although not apparent at the moment, global warming will be ingrained into our daily lives and we will learn to live with it and the knowledge of its potential effects. Most importantly, we will learn to live in such a way that actively negates its effect.

The third hypothesis was also rejected, indicating that the respondents have significant knowledge of the methods to mitigating against the unstoppable menace of global warming. This agreed with the findings of King, (2004) who stated that studies have indicated substantial potential for future reductions in emissions by a combination of emission-reducing activities such as energy conservation, increased energy efficiency, and satisfying more of society's power demands with renewable energy and/or nuclear energy sources. Parker, (2011) explained that adaptation to climate change may be planned, either in reaction to or anticipation of climate change, or spontaneous, without government intervention. They stated that though many are

aware of this and that planned adaptation is already occurring, but it is on a limited basis. The barriers, limits, and costs of future adaptation are however not fully understood.

Conclusion/ Recommendation

This study has revealed that awareness of global warming is poor and most people are indifferent in their attitude towards global warming. It also concludes that most people have knowledge of what global warming is and knew about the activities that could cause it as well as its effect and methods to control its effect and consequentially conclude that knowledge of global warming is significant and so not a problem. In spite of the significance in knowledge of global warming among the study population, the study has also established that knowledge is not the problem and the indifference in attitude may indicate that people have misconception about global warming and may see it as a distant threat, with consequences that will only be felt many decades from now. This can also be linked to high level of poverty and degree of illiteracy among the people of developing countries which has made it difficult to maintain a disciplined life style that will mitigate against the effect of global warming.

Therefore, there is need for practical environmental health and safety education with the intention of improving health seeking behaviour among the study group. Health *practitioners should also have a paradigm shift from theoretical teaching to skill based environmental health education in order to improve their services to clients especially those in industrial areas. In addition to this, environmental health workers/teachers must have adequate training and knowledge of global warming for effective dissemination.

Finally, multidisciplinary and interdisciplinary research, which would inform the development of intervention strategies, is also required and the need for interdisciplinary collaboration to develop interactive models and new stage-specific perspectives on global warming regarding human behavior, health, and illness.

References

- Barnett F. 2005. Penetration of human induced warming into the world's oceans. *Science*, 309 284–287.
- Chukwu, G.U. & Asiegbu, A.D. 2011. Global warming and climate change: impacts and implications. International Journal of Current ResearchVol.33, Issue, 6, pp.112-115, Retrieved on 20/08/2015 from

https://www.academia.edu/4879177/global_warming_and_climate_change_impac

- Folorunsho, R. & Awosika, L.F., 2001. Flood Mitigation in Lagos, Nigeria through Wise Management of Solid Waste: a case of Ikoyi and Victoria Islands; Nigerian, Paper presented at the UNESCO-CSI workshop, Maputo 19-23 November 2001.
- Hastenrath, 2001. Climate dynamics of the tropics. Kluwer Academic Publishers, Dordrecht, Netherlands, 488 p
- International Panel on Climate Change, 2001. Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change. Edited by J.T. Houghton, Y. Ding,D.J. Griggs, M. Noguer, P.J. Van der Linden, X. Dai, K. Maskell, and C.A. Johnson. Cambridge and New York: Cambridge University Press. Retrieved on 20/04/2013 from (http://www.grida.no/climate/ipcc_tar/wg1/index.htm)
- Karl, T.R. 2008. Annexed A "Regional Trends and Variations of Temperature and Precipitation" The Regional Impacts of Climate Change. IPCC WGII, Cambridge University Press.

Kattenberg, K.Maskell) Cambridge University Press

King, D.A. 2004. Climate change science: Adapt, mitigate, or ignore? Science, 303, 176-177.

- National Climatic Data Center (NCDC), (2004). *Climate of 2003 in Historical Perspective*.<u>http://www.ncdc.noaa.gov/oa/climate/</u>research/2003/ann/ann 03.html#Major%2
- Naurzbaev, M. M. & Vaganov, E. A. 2000. Extraordinary Warmth in the 20th Century? J. Geophys Res 105:7315-7326
- Odemerho, F.O. 2004. Benin City: A Case Study of Urban Flood Problems" In Sada P.O & Odemerho F. O (eds) *Environmental Issues and Management in Nigeria development*. Evans Brothers Nig. Publishers Ltd.
- Odjugo, P. A.O. 2010. Regional evidence of climate change in Nigeria. Journal of Geography and Regional Planning, 3(6), 142-150. Retrieved on 20/08/2015 from http://www.academicjournals.org/journal/JGRP/article-abstract/6B7E2F539670
- Okereke, R. A. 2011. Incidence of Flooding in Southern Nigeria, International Journal of Environmental Issues 5 (1 & 2).
- Onibokun, A. 2015. Global warming and Nigeria. Retrieved on 20/08/2015 from http://www.informationng.com/2012/02/global-warming-and-nigeria.html
- Oshuntokun, A. 2003. Environmental Problems of Nigeria. Lagos: Friedrich Ebert Foundation.
- Parker, C. 2011. Dying for growth: industrialization, climate change, and health effects. Retrieved 20/08/2015 from <u>http://www.psr.org/chapters/student-chapters/rx-for-</u> survival-2011/dying-for-growth.html
- Peterson, T.C. & Vose, R.S. 2007. An Overview of the Global Historical Climatology Network Temperature Database *Bull Amer Meteor Soc*78:2837-2849
- Physicians for Social Responsibility, (2015). Global warming thermometer. Retrieved on 20/08/2015 from
- http://www.climate-change-emergency-medical-response.org/physicians-for-social responsibility.html
- Physicians for Social Responsibility, 2015. Climate change is a treat to health 2015. Retrieved on 20/08/2015 from http://www.psr.org/environment-and-health/climate-change.html
- Still, C.J., Foster, P.N. & Schneider, S.H. (2009). Simulating the effects of climate change on tropical montane cloud forests. *Nature*, 398, 608–610.
- Titus, J.G. 2000. Greenhouse effect, sea level rise, and barrier islands: Case study of Long Beach Island, New Jersey. *Coastal Management*, *18*, 65-90.
- Tunde, A. M., Adeleke, E. A. & Adeniyi, E. E. 2012. Impact of Climate Variability on Human Health in Ilorin, Nigeria Environment and Natural Resources Research vol 3 no1 Retrieved on 20/08/2015 from

http://www.ccsenet.org/journal/index.php/enrr/article/view/22404

Union of concerned scientist, 2011. Climate hot map: global warming effects around the world. Retrieved on 20/08/2015 Retrieved on 20/08/2015 from

http://www.climatehotmap.org/global warming-effects/health.html